

**FUSILADE FORTE**

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

---

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : FUSILADE FORTE

Design code : A12715A

**Manufacturer or supplier's details**

Company : Syngenta Australia Pty Ltd (ABN 33 002 933 717)  
www.syngenta.com.au

Address : 2-4 Lyonpark Road  
Macquarie Park NSW 2113  
Australia

Telephone : (02) 8014 5200

Emergency telephone number : 13 11 26 (Poison Information Centre)  
1800 033 111 (Syngenta)

Telefax : (02) 8876 8446

**Recommended use of the chemical and restrictions on use**

Recommended use : Herbicide

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Flammable liquids : Category 4

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H227 Combustible liquid.  
H317 May cause an allergic skin reaction.  
H361 Suspected of damaging fertility or the unborn child.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.

---

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 Store in a well-ventilated place.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
(E)-18-ethoxyoctadec-3-ene	68920-66-1	>= 10 -< 30
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-62-7	>= 10 -< 30
fluazifop-P-butyl (ISO)	79241-46-6	>= 10 -< 30
octan-1-ol	111-87-5	>= 10 -< 30
calcium dodecylbenzenesulphonate	26264-06-2	>= 1 -< 3
2-methylpropan-1-ol	78-83-1	>= 1 -< 3

## SECTION 4. FIRST AID MEASURES

General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary oedema and pneumonitis.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.  
Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.
- Specific extinguishing methods : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.
- Hazchem Code : •3Z

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

- Remove all sources of ignition.  
Pay attention to flashback.
- Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.
- Further information on storage stability : Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified	64742-62-7	TWA (Mist)	5 mg/m <sup>3</sup>	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
fluazifop-P-butyl (ISO)	79241-46-6	TWA	0.1 mg/m <sup>3</sup>	Syngenta
2-methylpropan-1-ol	78-83-1	TWA	50 ppm	AU OEL
			152 mg/m <sup>3</sup>	
		TWA	50 ppm	ACGIH

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
- Hand protection
- Material : Nitrile rubber  
Break through time : > 480 min  
Glove thickness : 0.5 mm
- Remarks : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : No special protective equipment required.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.  
Remove and wash contaminated clothing before re-use.  
Wear as appropriate:  
Impervious clothing
- Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

**FUSILADE FORTE**Version  
8.0Revision Date:  
03.08.2021SDS Number:  
S165026034

This version replaces all previous versions.

---

Personal protective equipment should comply with relevant national standards

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	clear to slightly turbid, liquid
Colour	:	light brown to dark brown
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	4 - 8 Concentration: 1 % w/v
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	86 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	0.936 g/cm <sup>3</sup> (40 °C) 0.948 g/cm <sup>3</sup> (25 °C)
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	Miscible Solvent: Water
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	265 °C



**FUSILADE FORTE**

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

---

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,110 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**2-methylpropan-1-ol:**

Acute oral toxicity : LD50 (Rat): 2,830 - 3,350 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 24.6 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 - 2,460 mg/kg

**Skin corrosion/irritation****Product:**

Species : Rabbit  
Result : Mild skin irritation

**Components:****(E)-18-ethoxyoctadec-3-ene:**

Species : Rabbit  
Result : Irritating to skin.

**fluazifop-P-butyl (ISO):**

Species : Rabbit  
Result : No skin irritation

**calcium dodecylbenzenesulphonate:**

Result : Irritating to skin.

**2-methylpropan-1-ol:**

Result : Irritating to skin.

**Serious eye damage/eye irritation****Product:**

Species : Rabbit  
Result : No eye irritation



**FUSILADE FORTE**

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

---

**Components:****fluazifop-P-butyl (ISO):**

Species : Rabbit  
Result : No eye irritation

**octan-1-ol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**calcium dodecylbenzenesulphonate:**

Result : Irreversible effects on the eye

**2-methylpropan-1-ol:**

Result : Risk of serious damage to eyes.

**Respiratory or skin sensitisation****Product:**

Test Type : Buehler Test  
Species : Guinea pig  
Result : May cause sensitisation by skin contact.

**Components:****fluazifop-P-butyl (ISO):**

Species : Mouse  
Result : May cause sensitisation by skin contact.

**2-methylpropan-1-ol:**

Species : Guinea pig  
Result : Did not cause sensitisation on laboratory animals.  
Remarks : Information given is based on data obtained from similar substances.

**Chronic toxicity****Germ cell mutagenicity****Components:****(E)-18-ethoxyoctadec-3-ene:**

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

**fluazifop-P-butyl (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

**FUSILADE FORTE**Version  
8.0Revision Date:  
03.08.2021SDS Number:  
S165026034

This version replaces all previous versions.

**Carcinogenicity****Components:****fluazifop-P-butyl (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

**Reproductive toxicity****Components:****fluazifop-P-butyl (ISO):**Reproductive toxicity - Assessment : Embryo/foetoxic effects have been reported in rats.  
,Developmental neurotoxicity has been observed in the absence of maternal toxicity.  
,Some evidence of adverse effects on development, based on animal experiments.**STOT - single exposure****Components:****2-methylpropan-1-ol:**Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.  
The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.**Repeated dose toxicity****Components:****fluazifop-P-butyl (ISO):**

Remarks : No adverse effect has been observed in chronic toxicity tests.

**Aspiration toxicity****Components:****Distillates (petroleum), solvent-dewaxed heavy paraffinic; Baseoil — unspecified:**

May be fatal if swallowed and enters airways.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.2 mg/l  
Exposure time: 72 h

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

NOEC (Raphidocelis subcapitata (freshwater green alga)):  
0.13 mg/l  
End point: Growth rate  
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)):  
0.42 mg/l  
End point: Growth rate  
Exposure time: 72 h

### Components:

#### **(E)-18-ethoxyoctadec-3-ene:**

- Toxicity to fish : LC50 (Fish): > 1 - < 10 mg/l
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Invertebrates): > 1 - < 10 mg/l
- Toxicity to algae/aquatic plants : EC50 (algae): ≤ 1 mg/l  
Exposure time: 72 h  
Remarks: Information taken from reference works and the literature.
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 0.1 - < 1 mg/l  
Exposure time: 30 d  
Remarks: Information taken from reference works and the literature.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.01 - < 0.1 mg/l  
Exposure time: 21 d

#### **Ecotoxicology Assessment**

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

#### **fluazifop-P-butyl (ISO):**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.41 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 48 h
- EC50 (Americamysis): 0.54 mg/l  
Exposure time: 96 h
- Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.8 mg/l  
Exposure time: 96 h

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1.8 mg/l

End point: Growth rate

Exposure time: 96 h

ErC50 (Navicula pelliculosa (Freshwater diatom)): 1.4 mg/l

Exposure time: 72 h

NOEC (Navicula pelliculosa (Freshwater diatom)): 0.34 mg/l

End point: Growth rate

Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.077 mg/l

Exposure time: 32 d

Test Type: Early-life Stage

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.25 mg/l

Exposure time: 21 d

NOEC (Americamysis): 0.048 mg/l

Exposure time: 28 d

M-Factor (Chronic aquatic toxicity) : 1

### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

### octan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 13.3 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 14 mg/l

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1 mg/l

Exposure time: 21 d

### calcium dodecylbenzenesulphonate:

#### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 2-methylpropan-1-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 1,799 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d

### Persistence and degradability

#### Components:

##### **(E)-18-ethoxyoctadec-3-ene:**

Biodegradability : Result: Readily biodegradable.

##### **fluazifop-P-butyl (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 1.5 - 1.7 h  
Remarks: Product is not persistent.

##### **octan-1-ol:**

Biodegradability : Result: Readily biodegradable.

##### **2-methylpropan-1-ol:**

Biodegradability : Result: Readily biodegradable.

### Bioaccumulative potential

#### Components:

##### **fluazifop-P-butyl (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: > 5.3 (25 °C)

### Mobility in soil

#### Components:

##### **fluazifop-P-butyl (ISO):**

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: < 2 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

### Other adverse effects

#### Components:

##### **(E)-18-ethoxyoctadec-3-ene:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **fluazifop-P-butyl (ISO):**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **octan-1-ol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

##### **2-methylpropan-1-ol:**

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Where possible recycling is preferred to disposal or incineration. It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.

Contaminated packaging : Dispose of as unused product.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)

Class : 9

Packing group : III

Labels : 9

#### **IATA-DGR**

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (FLUAZIFOP-P-BUTYL)

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)

Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUAZIFOP-P-BUTYL)

Class : 9  
 Packing group : III  
 Labels : 9  
 Hazchem Code : •3Z

Remarks : Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the Australian Code for the Transport of Dangerous Goods (ADG). This applies when transported by road or rail in packagings that do not incorporate a receptacle exceeding 500 kg(L) or IBCs per ADG Special Provision AU01.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons : Schedule 6

## FUSILADE FORTE

Version 8.0      Revision Date: 03.08.2021      SDS Number: S165026034      This version replaces all previous versions.

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

Product Registration Number : APVMA Approval No. 58521

### SECTION 16. OTHER INFORMATION

Revision Date : 03.08.2021  
Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average  
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-



**FUSILADE FORTE**

Version	Revision Date:	SDS Number:	This version replaces all previous versions.
8.0	03.08.2021	S165026034	

---

recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN