

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name	NPK BLENDS
Synonyms	<p>10129 - N-RICH 22 CU SPR 0.3% • 10131 - N-RICH 22 CU SPR 0.5% • 10132 - N-RICH 24 CU SPR 0.3% • 10133 - N-RICH 24 CU SPR 0.5% • 10134 - N-RICH 26 CU SPR 0.3% • 10136 - N-RICH 26 CU SPR 0.5% • 10137 - N-RICH 28 CU SPR 0.3% • 10138 - N-RICH 28 CU SPR 0.5% • 10139 - N-RICH 32 CU SPR 0.3% • 10141 - N-RICH 32 CU SPR 0.5% • 10142 - N-RICH 32:10 CU SPR 0.3% • 10143 - N-RICH 32:10 CU SPR 0.5% • 10189 - GRANULAR UREA GLAZE ZN 0.5% • 11150 - GROWER 11 • 11155 - GROWER 12 • 11160 - GROWER 16(MG) • 81172 - HAYBOOSTA • 81379 - HAYBOOSTA WESTERN • 11350 - STARTER 15 • 81102 - STIMULUS • 12415 - CK 120 S • 12420 - CK 180 S • 12425 - CK 200 • 12590 - NSW RATOONER S • 22039 - ORCHARD LIFTER • 13055 - ORNAMENTAL MIXER (S) • 20221 - PASTURE STARTER • 12615 - CK 50/50 S • 20640 - CK 55 • 12165 - CK 55 (S) • 20735 - CK 600 S • 20655 - CK 66 • 21965 - CK 66 S • 13710 - BURDEKIN NS • 13770 - HIGH K RATOONER • 13775 - HIGH K-S RATOONER • 93505 - HI-P 800 (BLEND) • 18197 - HORTI SPECIAL • 20122 - INNISFAIL RATOONER • 20090 - CK 160 • 20095 - CK 160 S • 20100 - CK 220 • 20105 - CK 300 • 20110 - CK 300 S • 20112 - YANDINA HI YIELD RATOON MIX • 20142 - UREA S (ORGINIAL) 80/20 • 20227 - LUCERNE SPECIAL • 20592 - MACKAY PLANTER • 12085 - MAREEBA RATOONER • 30175 - MAXIGROW (S) • 20233 - CK 1 • 18211 - PASTUREPHOS K17 SUPERFECT • 20219 - SUPERFOS • 20238 - CK 7 • 20305 - CK 700 • 12350 - CK 700(ZN) • 20675 - CK 77 (S) • 25960 - CK 803 • 20245 - CK 120 • 20255 - CK 135 • 20257 - CK 135 S • 20260 - CK 140 • 20265 - CK 140 S • 20275 - CK 150 • 20280 - CK 150 S • 20290 - CK 32-2-10 • 20580 - CK 33 • 21950 - CK 33 S • 20590 - CK 44 • 20605 - CK 44 S • 20085 - CK 50/50 • 20330 - BANANA SPECIAL • 20331 - BANANA SPECIAL K • 20690 - CK 88 • 25855 - COMPLETE MIX 1 • 25865 - COMPLETE MIX 2 • 25875 - COMPLETE MIX 3 • 20694 - BARRATTA RATOONER • 21905 - DELTA • 12410 - EVEREST • 25560 - EXTRA K RATOONER • 20117 - EXTRA SUL • 21933 - NITRA-P S • 25990 - NK PLANTER • 96230 - NO.17 LAWN FOOD (S) • 81115 - NPKS 10-14-9-5 • 20225 - NPKS 9-16-7-3 • 22450 - BANANA TROPIC • 22453 - ISLAND COAST RATOONER • 20226 - LEGUME MAX • 20224 - SUPERFECT GRAIN LEGUME • 20692 - LOWER BURDEKIN RATOONER • 25565 - UREA K RATOONER • 25575 - PLANTER (S) • 96835 - PROSSY NKS • 96825 - PROSSY RATOONER • 93515 - PROSSY SIDEDRESS • 20470 - Q7(K) • 25610 - CROPLIFT 6 • 20232 - CROPLIFT 600 • 20218 - CROPLIFT 800 • 81090 - CROPLIFT 900 • 20223 - CROPLIFT K (S) • 25825 - COMPLETE MIX 9 • 20365 - CROPLIFT 12 • 81214 - CROPLIFT 13 • 13130 - CROPLIFT 15 • 11355 - CROPLIFT 16 • 25885 - MULTIGRO • 20120 - NITRA K • 20124 - NITRA K S • 21935 - NITRA-KING • 22460 - NITRA-KING S • 21930 - NITRA-P • 25905 - COMPLETE MIX 6 • 25845 - COMPLETE MIX 7 • 25835 - COMPLETE MIX 8 • 25945 - SHIRLEYS NO.17 LAWN FOOD (S) • 81005 - SIDE DRESSING MIX • 93290 - SILAGEBOOSTA • 25950 - TROPIC • 13330 - TURF BLEND • 93520 - UPPER BURDEKIN RATOONER • 12840 - UREA DOUBLE S 60/40 • 30060 - CHALLENGE • 30220 - CROPLIFT 19 • 81089 - CROPLIFT 200 • 25600 - CROPLIFT 4 • 30870 - CROPLIFT 400 • 25605 - CROPLIFT 5 • 30455 - N-RICH 24 • 24183 - N-RICH 26 • 30460 - N-RICH 28 • 22047 - N-RICH 32 • 30205 - N-RICH 32:10 • 12670 - NSW RATOONER • 30875 - PASTUREBOOSTA • 25245 - PASTUREBOOSTA 14 • 13715 - PASTUREBOOSTA 7 • 81197 - PASTUREBOOSTA ALT • 33787 - UREA S 70/30 • 33788 - UREA S 50/50 • 33789 - UREA S 75/25 • 50020 - FARLEIGH PLANTER 1 • 26016 - FARM AG LEICHHARDT • 26020 - FARM AG LEICHHARDT S • 81040 - FODDERBOOSTA • 81014 - CANEBOOSTA 35 • 81054 - CROPMASTA 13 • 50025 - CUCURBIT SPECIAL • 81087 - DAIRY PRO • 25570 - DAP PLUS • 13750 - DAP S • 81092 - GRASSBOOSTA • 11135 - GREENTOP • 81167 - NPKS 19-16-0-6 • 81208 - NPKS 32-9-0-1 • 81045 - NQ BANANA K • 30450 - N-RICH 22 • 81201 - GREENTOP COMPLETE (19-8-10-6) • 20121 - GREENTOP K • 81113 - GREENTOP K+ (27-0-21-0) • 30135 - GROW PLUS • 81212 - NPKS 11-15-14-1 • 93510 - NPKS 13-13-15-2 • 81175 - NPKS 13-15-13-1 • 81145 - NPKS 14-16-11-1 • 81166 - NPKS 19-10-0-13 • 93340 - SARINA MIXTURE • 93495 - CK 200 S • CUSTOM BLENDS • FERTILISER BLENDS • FERTILISER MIXTURE • FERTILIZER BLENDS • FERTILIZER MIXTURE • N BLENDS • NK BLENDS • NP BLENDS • NPK BLENDS • NPKS BLENDS • NS BLENDS • SPECIAL MIXTURE • QUALITY FERTILISER • QUALITY FERTILIZER</p>

1.2 Uses and uses advised against

Uses FERTILISER • FERTILIZER

1.3 Details of the supplier of the product

Supplier name	INCITEC PIVOT LIMITED
Address	Level 8, 28 Freshwater Place, Southbank, Victoria, 3006, AUSTRALIA
Telephone	(03) 8695 4400; 1800 009 832
Fax	(03) 8695 4419

PRODUCT NAME NPK BLENDSEmail ipf.customer.service@incitecpivot.com.auWebsite <http://www.incitecpivot.com.au>;
www.incitecpivotfertilisers.com.au**1.4 Emergency telephone numbers**

Emergency 1800 009 832

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

2.3 Other hazards

No information provided.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
UREA	57-13-6	200-315-5	<90%
DIAMMONIUM HYDROGEN ORTHOPHOSPHATE	7783-28-0	231-987-8	<75%
AMMONIUM SULPHATE	7783-20-2	231-984-1	<50%
POTASSIUM CHLORIDE	7447-40-7	231-211-8	<50%
TRACE ELEMENTS: IN NON HAZARDOUS AMOUNTS	-	-	<10%
OTHER FERTILISER SALTS	-	-	Not Available

4. FIRST AID MEASURES

4.1 Description of first aid measures

Eye	If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).
First aid facilities	Eye wash facilities and normal washroom facilities should be available.

4.2 Most important symptoms and effects, both acute and delayed

This product is expected to be of low toxicity. Under normal conditions of use, adverse health effects are not anticipated.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

5.3 Advice for firefighters

No fire or explosion hazard exists.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Ventilate area where possible.

6.2 Environmental precautions

Prevent loss to bores, wells, sewers, stormwater drains and watercourses.

6.3 Methods of cleaning up

Recover spilt fertiliser as soon as possible.

If in a warehouse and the product has not been contaminated or degraded, return it to the original stockpile. Otherwise, store in a separate bay or containers.

If in the open, and the product cannot be immediately recovered, take steps to protect the product from the elements and loss to waterways. Cover the spilt product with a water-proof tarpaulin, weighed down to prevent it being blown off by wind.

For disposal options, see Section 13.

In agricultural fields, spread any residual fertiliser out over as wide an area as possible. If left too thick, plant growth may be affected. Plants may die, and germination and emergence stifled for some time.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use, read the product label, including sections on "Safety Directions" and "Care of Equipment". Use safe work practices. Avoid eye of skin contact and dust inhalation. Observe good personal hygiene, including washing hands before eating. When lifting flexible intermediate bulk containers, use properly designed and approved equipment that meets Australian Standards AS3668 and AS2359. Refer to the Incitec Pivot pamphlet "Guidance for the Safe Handling of Fertiliser Bulk Bags".

7.2 Conditions for safe storage, including any incompatibilities

Fertilisers should be stored in a cool, dry, covered and well-ventilated area. Do not allow to get wet. Store away from farm chemicals, e.g. insecticides, fungicides and herbicides; and foodstuffs. Bulk fertilisers should be stored in bays or piles physically apart from other products. Concrete floors are recommended. Fertiliser may set in storage, posing a risk of engulfment when being removed from the stockpile. Conduct Risk Assessments, and ensure appropriate equipment, procedures and training are in place. It is generally recommended that fertilisers not be placed in silos, and if they are, only for short periods of time. Blends typically do not store as well as the straights from which they are made, and many are unsuitable for such use. Refer to the Incitec Pivot "Silo Guidance Notes" for more detail. Ensure stockpiles of bulk bags are stable. Place the bags as close as reasonably practical to each other without causing undue damage. If stacking more than two high, stack in a pyramidal style. Ensure the third and subsequent layers are placed so as to straddle and bind the bags below them. When walking near, or between rows of stacked bags, maintain a distance equal to the height of the stack from the product. Bagged fertilisers should be stored under cover and out of direct sunlight (which degrades woven polypropylene packs). If stored in the open, do so for short periods only, and cover the bags with a tarpaulin. Avoid high stacking as this promotes caking. The Pallet Capacity Rating (design weight) must not be exceeded on the bottom tier.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

No exposure standards have been entered for this product.

Biological limits

No biological limit values have been entered for this product.

8.2 Exposure controls

Engineering controls Avoid inhalation.

PPE

The selection of Personal Protective Equipment (PPE) should be based on a Risk Assessment of the amount of dust likely to be generated, including the quantity of product being handled, the presence and amount of fines and dust; the task being performed, the work environment in which it is being undertaken, and the level of exposure. Normal work clothing may suffice during transfer operations in the field, e.g. when filling fertiliser boxes, and in bulk storage facilities where contact with the product is limited under well ventilated conditions and occupational exposure limits are not exceeded.

Eye / Face	Where eye contact may occur, wear safety glasses with side shields.
Hands	Cotton gloves, which can be washed or disposed of if heavily soiled, will suffice under most circumstances. Use impervious PVC or rubber gloves in high risk situations.
Body	Where skin contact may occur and for individuals with sensitive skin, wear ankle length and long sleeved clothing or overalls.
Respiratory	Wear a dust mask where exposure to dust is light. Where the dust nuisance is high and ventilation is inadequate, use a properly fitted particulate filter respirator, either full face-piece or half mask plus goggles, that meets Australian Standards AS/NZS 1715 and AS/NZS 1716 "Selection, use and maintenance of respiratory protective devices".

Wash dust from hands and exposed skin. In risk situations, locate an eyewash station nearby. Wash contaminated clothing and other protective equipment before storage or reuse. Ensure all PPE conforms to the relevant Australian Standards. Read the labels on the PPE.



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	MIXED COLOUR GRANULAR SOLID
Odour	SLIGHT ODOUR
Flammability	NON FLAMMABLE
Flash point	NOT RELEVANT
Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
pH	NOT AVAILABLE
Vapour density	NOT AVAILABLE
Relative density	NOT AVAILABLE
Solubility (water)	SOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	NOT RELEVANT
Lower explosion limit	NOT RELEVANT
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	NOT AVAILABLE
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
Odour threshold	NOT AVAILABLE

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

PRODUCT NAME NPK BLENDS

10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

Compatible with most commonly used materials.

10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects are not anticipated.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
UREA	> 5000 mg/kg (rat)	> 5000 mg/kg (rat)	No data but expected to be low toxicity
DIAMMONIUM HYDROGEN ORTHOPHOSPHATE	> 6500 mg/kg (rat)	< 7950 mg/kg (rabbit)	--
AMMONIUM SULPHATE	4,250 mg/kg (rat)	> 2000 mg/kg (rat)	--
POTASSIUM CHLORIDE	2600 mg/kg (rat)	--	--

Skin Low irritant. Prolonged or repeated contact may result in mild irritation.

Eye Low to moderate irritant. Contact may result in mild irritation, lacrimation and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen.

Carcinogenicity Not classified as a carcinogen.

Reproductive Not classified as a reproductive toxin.

STOT - single exposure Not classified as causing organ damage from single exposure. However, over exposure may result in irritation of the nose and throat, with coughing.

STOT - repeated exposure Not classified as causing organ damage from repeated exposure.

Aspiration Not relevant.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Depending on the concentration and species, ammonium may be toxic to fish.

12.2 Persistence and degradability

No data available.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

This fertiliser contains nitrogen in the urea and/or the ammonium forms. In the soil, urea is converted to ammonium, and then nitrate. Plants take up nitrogen from the soil in both the ammonium and nitrate forms. Ammonium is sorbed strongly onto soil colloids (clay particles and humus). Nitrate is mobile in the soil and is subject to leaching. Phosphorus may also be present in this fertiliser. Phosphorus is sorbed onto clay and organic colloids in the soil. The main way in which phosphorus is lost from agricultural soils is through soil erosion, attached to eroded soil particles.

12.5 Other adverse effects

This product can stimulate weed and algal growth if lost to static surface waterways. Algae affect water quality and taste.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal Ideally, the fertiliser should be used for its intended purpose. Beneficial reuse is the preferred disposal option. For fertiliser that is physically degraded but not contaminated in any way, this may necessitate using different application equipment and methods to apply it. If the fertiliser is contaminated with other fertilisers, soil, or other non-harmful substances, and it can be satisfactorily applied, use it for its nutrient value in pasture, crops or on a recreational area, e.g. lawns and parks. If contaminated with other materials, e.g. fuel, oil or chemicals, the fertiliser waste must be disposed of in accordance with relevant local legislation. Contact the Waste Management Authority for advice.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

No information provided.

14.6 Special precautions for user

Hazchem code None allocated.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals (GHS Revision 7).

Inventory listings **AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)**
All components are listed on AIIC, or are exempt.

16. OTHER INFORMATION

Additional information EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:
The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
EMS	Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous Goods)
GHS	Globally Harmonized System
GTEPG	Group Text Emergency Procedure Guide
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m ³	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies
5 Ventnor Ave, West Perth
Western Australia 6005
Phone: +61 8 9322 1711
Fax: +61 8 9322 1794
Email: info@rmt.com.au
Web: www.rmtglobal.com

[End of SDS]